CannaSafe - LA
7027 Hayvenhurst Ave.
Van Nuys, CA 91406

(818) 922-2416
https://www.csalabs.com
Lic# C8-0000040-LIC

R&D Testing

Venterra Thin Mint

Sample ID: 2108CSALA6509.6393
Matrix: Concentrates & Extracts
Type: Vape Cartridge
Sample Size: 1 units
Batch Size:
Batch#: VTM-01

Produced: N/A
Collected: 08/02/2021
Received: 08/02/2021
Completed: 08/04/2021

Client
Elevate Technologies
Lic. #
1470 Encinitas Blvd., 111
Encinitas, CA 92024

0.8698 mg/ml	134.0761 mg/ml	326.7306 mg/ml
Total THC	Total CBD	Total Cannabinoids

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/ml	%
Δ8-THC	0.2096	0.2382	185.8695	20.1594
CBD	0.1668	0.2382	134.0761	14.5419
CBG	0.2192	0.2382	3.8109	0.4133
CBC	0.2025	0.2382	1.0038	0.1089
Δ9-THC	0.1977	0.2382	0.8698	0.0943
CBDV	0.1953	0.2382	0.8413	0.0912
CBN	0.2335	0.2382	0.2592	0.0281
CBCA *	0.212	0.2382	ND	ND
CBDa	0.1263	0.2382	ND	ND
CBDVA *	0.2263	0.2382	ND	ND
CBGa	0.1787	0.2382	ND	ND
CBT *	0.2001	0.9291	ND	ND
THCa	0.1763	0.2382	ND	ND
THCV	0.2311	0.2382	ND	ND
THCVA *	0.2311	0.2382	ND	ND

Density = 0.922 g/ml;

Date Tested: 08/02/2021

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

* Denotes analytes pending ISO-17025 scope addition

NT	- NT	NT
Moisture	Water Activity	Foreign Matter
Moisture Analyzer SOP-103	Water Activity Meter SOP-102	Visual Inspection SOP-600
-	-	-

ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Neya Jourabchian
Laboratory Director
08/04/2021

Brandon Hill
COA Review
08/04/2021

The values reported pertain only to the product tested. R&D Sample Only. Tested as-is/received from client. Unless otherwise stated all Laboratory Quality Control (LQC) samples performed within specifications established by the BCC in 16 CCR section 5730. Sample tested per CALIFORNIA CODE OF REGULATIONS, TITLE 16, DIVISION 42. BUREAU OF CANNABIS CONTROL.